

API

Documentation

GET REQUEST

API ENDPOINT

URL: <https://api2.smsala.com/SendSmsV2>

API REQUEST EXAMPLE

```
https://api2.smsala.com/SendSmsV2?apiToken=qyJhKrVLoNCHKl4P&messageType=1&messageEncoding=1&destinationAddress=918744815388&sourceAddress=TSTALA&messageText=Hello&callBackUrl=https://webhook.site/50791112-aea5-406b-a5e58a2a6a4eb851&userReferenceId=nzwBePCGzXCC6G9rjD31t9kgUIAQ4GRg
```

API RESPONSE EXAMPLE

```
[
{
  "MessageId": 25,
  "OperationCode": 0,
  "Status": "Success",
  "DlrStatus": null,
  "UserReferenceId": "nzwBePCGzXCC6G9rjD31t9kgUIAQ4GRg",
  "DestinationAddress": "918744815388",
  "Remarks": "Message Submitted",
  "CallBackUrl": "https://webhook.site/50791112-aea5-406b-a5e5-8a2a6a4eb851"
}
]
```

POST REQUEST

Required Parameters:

Parameters:	Type	Required	Discription
apiToken	String	Yes	API authentication token
messageType	String	Yes	Type of message (see values below)
messageEncoding	String	Yes	Encoding format (see values below)
destinationAddress	String	Yes	Recipient phone number
sourceAddress	String	Yes	Sender ID
messageText	String	Yes	Message content
callBackUrl	String	No	Webhook URL for delivery status
userReferenceId	String	No	Unique identifier for tracking

EXAMPLE JSON PAYLOAD

```
[
  {
    "apiToken": "qyJhKrVLoNCHKl4P",
    "messageType": "1",
    "messageEncoding": "1",
    "destinationAddress": "918744815388",
    "sourceAddress": "TSTALA",
    "messageText": "Hello",
    "callBackUrl": "https://webhook.site/50791112-aea5-406b-a5e5-8a2a6a4eb851",
    "userReferenceId": "nzwBePCGzXCC6G9rjD31t9kgUIAQ4GRg"
  }
]
```

API RESPONSE EXAMPLE

```
[
  {
    "MessageId": 25,
    "OperationCode": 0,
    "Status": "Success",
    "DlrStatus": null,
    "UserReferenceId": "nzwBePCGzXCC6G9rjD31t9kgUIAQ4GRg",
    "DestinationAddress": "918744815388",
    "Remarks": "Message Submitted",
    "CallBackUrl": "https://webhook.site/50791112-aea5-406b-a5e5-8a2a6a4eb851"
  }
]
```

CALLBACK RESPONSE EXAMPLE

```
{
  "messageId": 22,
  "operationCode": 0,
  "status": "Success",
  "dlrStatus": "Delivered",
  "userReferenceId": "nzwBePCGzXCC6G9rjD31t9kgUIAQ4GRg",
  "destinationAddress": 918744815388,
  "remarks": "Dlr Status is : Delivered",
  "callBackUrl": "https://webhook.site/50791112-aea5-406b-a5e5-8a2a6a4eb851"
}
```

Message Type Values

Value	Message Type
1	Promotional
2	Transactional
3	OTP

Encoding Values

Value	Type	Value	Type
1	Default	5	Default
2	ASCII	6	ASCII
3	Octet	7	Octet
4	Latin1	8	Latin1

Delivery Status Codes (DLR)

Code	Status	Code	Status
0	None	4	Deleted
1	Enroute	5	Undeliverable
2	Delivered	6	Accepted
3	Expired	7	Unknown
		8	Rejected

GET REQUEST FOR MULTIPLE NUMBERS

Simply separate multiple phone numbers with a comma in the destinationAddress field.



API ENDPOINT

URL: <https://api2.smsala.com/SendSmsV2>

API REQUEST EXAMPLE

```
https://api2.smsala.com/SendSmsV2?apiToken=qyJhKrVLoNCHKl4P&messageType=1&messageEncoding=1&destinationAddress=918744815388,917006129382&sourceAddress=TSTALA&messageText=Hello&callbackUrl=https://webhook.site/50791112406ba5e58a2a6a4eb851&userReferenceId=nzwBePCGzXCC6G9rjD31t9kgUIAQ4GRg
```

RESPONSE FOR MULTIPLE RECIPIENTS

```
[
  {
    "MessageId": 3195705,
    "OperationCode": 0,
    "Status": "Success",
    "DlrStatus": null,
    "UserReferenceId": null,
    "DestinationAddress": "918744815388",
    "Remarks": "Message Submitted"
    "CallbackUrl": "https://webhook.site/50791112-aea5-406b-a5e5-8a2a6a4eb851"
  },
  {
    "MessageId": 3195706,
    "OperationCode": 0,
    "Status": "Success",
    "DlrStatus": null,
    "UserReferenceId": null,
    "DestinationAddress": "917006129382",
    "Remarks": "Message Submitted"
    "CallbackUrl": "https://webhook.site/50791112-aea5-406b-a5e5-8a2a6a4eb851"
  }
]
```

POST REQUEST FOR MULTIPLE RECIPIENTS

For multiple recipients in a POST request, send an array of JSON objects.

EXAMPLE JSON PAYLOAD

```
[
{
  "apiToken": "TrUk3bw8oZ80KqJ5",
  "messageType": "2",
  "messageEncoding": "1",
  "destinationAddress": "918744815388",
  "sourceAddress": "TSTALA",
  "messageText": "Your OTP is 978823"
  "CallBackUrl": "https://webhook.site/50791112-aea5-406b-a5e5-8a2a6a4eb851"
},
{
  "apiToken": "TrUk3bw8oZ80KqJ5",
  "messageType": "2",
  "messageEncoding": "1",
  "destinationAddress": "917006129382",
  "sourceAddress": "TSTALA",
  "messageText": "Your OTP is 978823"
  "CallBackUrl": "https://webhook.site/50791112-aea5-406b-a5e5-8a2a6a4eb851"
}
]
```

RESPONSE EXAMPLE FOR MULTIPLE RECIPIENTS

```
[
{
  "MessageId": 3195816,
  "OperationCode": 0,
  "Status": "Success",
  "DlrStatus": null,
  "UserReferenceId": null,
  "DestinationAddress": "260972451580",
  "Remarks": "Message Submitted"
  "CallbackUrl": "https://webhook.site/50791112-aea5-406b-a5e5-8a2a6a4eb851"
},
{
  "MessageId": 3195817,
  "OperationCode": 0,
  "Status": "Success",
  "DlrStatus": null,
  "UserReferenceId": null,
  "DestinationAddress": "260989224413",
  "Remarks": "Message Submitted"
  "CallbackUrl": "https://webhook.site/50791112-aea5-406b-a5e5-8a2a6a4eb851"
}
]
```

GET REQUEST



API ENDPOINT

<https://api2.smsala.com/Dlr/GetDetails>

API REQUEST EXAMPLE

<https://api2.smsala.com/Dlr/GetDetails?apiToken=TrUkkjbzgdshgd&messageId=3196185>

RESPONSE EXAMPLE:-

```
{
  "IsSuccess": true,
  "ErrorCode": 0,
  "ErrorDescription": "OK",
  "ReturnData": [
    {
      "MessageId": 3196185,
      "DestinationAddress": "917006123394",
      "TextReceived": "Hello",
      "MessageType": "Transactional",
      "MessageLength": 5,
      "MessageParts": 1,
      "CustomerCost": 0.17,
      "DlrStatus": "Delivered",
      "ErrorCode": 1,
      "ErrorDescription": "No Error",
      "SentDateTime": "2025-02-24T06:22:04",
      "Uid": null,
      "SmsId": "db15035c-da41-4f89-aa39-9b89f61d958a"
    }
  ]
}
```

POST REQUEST

EXAMPLE REQUEST BODY

```
{  
  "apiToken": "TrUkdfgjn80KqJ5",  
  "messageId": 3196185,  
  "userDefinedId": "String"  
}
```

EXAMPLE RESPONSE

```
{  
  "IsSuccess": true,  
  "ErrorCode": 0,  
  "ErrorDescription": "OK",  
  "ReturnData": [  
    {  
      "MessageId": 3196185,  
      "DestinationAddress": "917006123394",  
      "TextReceived": "Hello",  
      "MessageType": "Transactional",  
      "MessageLength": 5,  
      "MessageParts": 1,  
      "CustomerCost": 0.17,  
      "DlrStatus": "Delivered",  
      "ErrorCode": 1,  
      "ErrorDescription": "No Error",  
      "SentDateTime": "2025-02-24T06:22:04",  
      "Uid": null,  
      "SmsId": "db15035c-da41-4f89-aa39-9b89f61d958a"  
    }  
  ]  
}
```

GET REQUEST

API ENDPOINT

<https://api2.smsala.com/Dlr/GetCampaignDetail>

API REQUEST EXAMPLE

```
https://api2.smsala.com/Dlr/GetCampaignDetail?apiToken=TrUk3bw8fghfdj&campaignId=16139&startDate=2025-02-24T09:00:00
```

EXAMPLE RESPONSE

```
{
  "IsSuccess": true,
  "ErrorCode": 0,
  "ErrorDescription": "OK",
  "ReturnData": [
    {
      "Id": 16139,
      "Name": "Fahad",
      "Submission Date": "2025-02-24T07:15:40",
      "TotalSms": 4,
      "Detail ID": 24876362,
      "Destination Address": "917006123394",
      "DLR Status": null
    },
    {
      "Id": 16139,
      "Name": "Fahad",
      "Submission Date": "2025-02-24T07:15:40",
      "TotalSms": 4,
      "Detail ID": 24876363,
      "Destination Address": "917006123397",
      "DLR Status": null
    },
    {
      "Id": 16139,
      "Name": "Fahad",
      "Submission Date": "2025-02-24T07:15:40",
      "TotalSms": 4,
      "Detail ID": 24876364,
      "Destination Address": "917006123395",
      "DLR Status": null
    },
    {
      "Id": 16139,
      "Name": "Fahad",
      "Submission Date": "2025-02-24T07:15:40",
      "TotalSms": 4,
      "Detail ID": 24876366,
      "Destination Address": "917006123391",
      "DLR Status": null
    }
  ]
}
```

POST REQUEST

EXAMPLE REQUEST BODY

```
{
  "apiToken": "TrUk3bw8oZ80KqJ5",
  "campaignId": 16139,
  "dlrStatus": "NULL",
  "startDate": "2025-02-24T09:00:00"
}
```

EXAMPLE RESPONSE

```
{
  "IsSuccess": true,
  "ErrorCode": 0,
  "ErrorDescription": "OK",
  "ReturnData": [
    {
      "Id": 16139,
      "Name": "Fahad",
      "Submission Date": "2025-02-24T07:15:40",
      "TotalSms": 4,
      "Detail ID": 24876362,
      "Destination Address": "917006123394",
      "DLR Status": null
    },
    {
      "Id": 16139,
      "Name": "Fahad",
      "Submission Date": "2025-02-24T07:15:40",
      "TotalSms": 4,
      "Detail ID": 24876363,
      "Destination Address": "917006123397",
      "DLR Status": null
    },
    {
      "Id": 16139,
      "Name": "Fahad",
      "Submission Date": "2025-02-24T07:15:40",
      "TotalSms": 4,
      "Detail ID": 24876364,
      "Destination Address": "917006123395",
      "DLR Status": null
    },
    {
      "Id": 16139,
      "Name": "Fahad",
      "Submission Date": "2025-02-24T07:15:40",
      "TotalSms": 4,
      "Detail ID": 24876366,
      "Destination Address": "917006123391",
      "DLR Status": null
    }
  ]
}
```

GET REQUEST

API ENDPOINT

<https://api2.smsala.com/sender/List?apiToken=TrUk3bw8oZ80KqJ5>

EXAMPLE RESPONSE

```
{
  "IsSuccess": true,
  "ErrorCode": 0,
  "ErrorDescription": "OK",
  "ReturnData": [
    {
      "CampaignSenderId": 271,
      "SenderId": "INFO",
      "CountryName": "India",
      "MessageTypeId": 2,
      "MessageType": "Transactional",
      "Details": "Request to whitelist my sender on an urgent basis",
      "StatusName": "Approved",
      "RequestedBy": "XYZ",
      "RequestedDateTime": "2025-02-24T01:27:47"
    },
    {
      "CampaignSenderId": 270,
      "SenderId": "Fahad",
      "CountryName": "India",
      "MessageTypeId": 2,
      "MessageType": "Transactional",
      "Details": "Request to approve my sender on an urgent basis",
      "StatusName": "Approved",
      "RequestedBy": "XYZ",
      "RequestedDateTime": "2025-02-24T01:27:15"
    }
  ]
}
```

POST REQUEST

API ENDPOINT


<https://api2.smsala.com/sender/List>

EXAMPLE REQUEST BODY

```
{  
  "apiToken": "TrUk3fghjqJ5"  
}
```

EXAMPLE RESPONSE

```
{  
  "IsSuccess": true,  
  "ErrorCode": 0,  
  "ErrorDescription": "OK",  
  "ReturnData": [  
    {  
      "CampaignSenderId": 271,  
      "SenderId": "INFO",  
      "CountryName": "India",  
      "MessageTypeId": 2,  
      "MessageType": "Transactional",  
      "Details": "Request to whitelist my sender on an urgent basis",  
      "StatusName": "Approved",  
      "RequestedBy": "XYZ",  
      "RequestedDateTime": "2025-02-24T01:27:47"  
    },  
  
    {  
      "CampaignSenderId": 270,  
      "SenderId": "Fahad",  
      "CountryName": "India",  
      "MessageTypeId": 2,  
      "MessageType": "Transactional",  
      "Details": "Request to approve my sender on an urgent basis",  
      "StatusName": "Approved",  
      "RequestedBy": "XYZ",  
      "RequestedDateTime": "2025-02-24T01:27:15"  
    }  
  ]  
}
```



API

Documentation

This documentation provides an overview of the API endpoints covering both single and multiple message submissions, encoding options, delivery status tracking, fetching DLR details, checking account balance, retrieving campaign information, and verifying approved senders. Each section includes both GET and POST request options along with example responses for seamless integration.



www.smsala.com

For assistance, reach out to

support@smsala.com